		Receiv	ring Repo	ort	,	
Da Su Packing Slip: Invoice: Receipt:	~////	W S	Batch Dart F elease Note A /aybill Attache hipment Comp C6 Inspection /ork Order	d: Ye blete: Ye	No es No	
Discrepancies Part	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments
Number		Oracioa				
		Initial	s of receiver	(if shipment	OK) Level	12
Production/Ad Date Received/Cos Initial	<u> 12/4/</u> 2	ECREPORT Re	v D		Locat	ion

## Purchase Order Receipt Listing

Monday, April 22, 2013 8:58:19 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO19623 Receipt Dates from 4/22/2013 to 4/22/2013 All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

Book Amt	\$442.94	5	\$260.84		\$285.45		40.0000 0.0000 0.0000 \$989.22 0.0000
MRB Qty/ MRB Reject Qty	0	0	0	0	0	0	antity: U/M): antity: Value: antity:
Inspected Qty/ Rejected Qty (PO U/M)	0.0000	00000.	0.000	0.0000	0.0000	0.0000	Total Received Quantity: Total Qty to Inspect (PO U/M): Total Reject Quantity: Total Receipt Value: Total Balance Due Quantity:
Cost Per Unit/ Recv Value	\$36.91	\$442.94	\$32.60	\$260.84	\$14.27	\$285.45	T Total (
Recv Qty (PO U/M)	12.0000		8.0000		20.0000		
Recv Date/ Recv Emp	4/22/2013	12.0000 DESJ02	4/22/2013 4/22/2013	DESJ02	4/22/2013 4/22/2013	DESJ02	
Required Date Required Qty	4/22/2013 - 4/22/2013		4/22/2013	8.0000	4/22/2013	20.0000	
PO U/M / Stock U/M	RYERSON INC. .500X02. f	200, f	XI.0 f	J ,,000	X1.5 f	500 f	
Project ID Reference/ Description/ Cert Std	VC-RYS001 RYERSON M7075T6B3.500X02. f	7075-T6 BAR 3.500' f X 2.000" 125363	M7075T6B6.000X1.0 f 00	7075-T6 BAR 6.000" f X1:000" 125363	M7075T6B1.500X1.5 f	7075 T6 BAR 1.500 f x 1.500 125363	
Project ID							
Line Nbr/ Insp Req	idor Name 1	No	7	No	3	N <sub>o</sub>	
Purchase Order ID/ Curr Type	VendorID\Vendor Name PO19623	CAD					

# Shipping Order / Bordereau d'expédition

Pione   Telegram   Te	# 200 RUE DU CHEMINOT VAUDREUIL-DORION QC
SBURY	, QC J7V
SBURY	hip to/Exp
ABERDEEN STREET   ABERDEEN STREET	DART AEROSPACE
Customer # / Sales / Tax Status / Contact / Personne # Client   Ventes   Statut fisca   1946   21 EB   Imposb1	O, ABERD
Customer # / Sales / Tax Status   Contact / Personne # Client   Ventes   Statut fisca   1946   21 EB   Imposbl   Imposbl   Ship Approval / Approbation de   Ship Date / Date d'expédition   Personne   Ship Approval / Approbation de   Ship Date / Date d'expédition   Ship Approval / Approbation de   Ship Date / Date d'expédition   Ship Approval / Approbation de   Ship Date / Date d'expédition   Texpédition   Texpédition	HAWKESBURY
1946   21 EB   Imposbl   Ship Date / Date d'expédition   Ship Approval / Approbation de   Perpédition   Ship Date / Date d'expédition   Ship Approval / Approbation de   Perpédition   Ship Date / Date d'expédition   Ship Date / Date d'expédition   Ship Date / Date d'expédition   Ship Approval / Approval / Approval / Approbation   Approval / Approval	
Ship Approval Approbation de   Personal Approval Approbation de   Personal Approval Approbation     1	FOB Entrep PortDu
X 3.50" X 144%  Taire: 7606.12.00.32  SPH  X 6" X 96"  X 6" X 96"  Triangle	Pro Bill / Bordereau d'envoi
X 6" X 96"  X 6" X 96"  X 6" X 96"  X 6" X 96"  SPH  T: 709049  T: 709049  T: 709049  SPH  T: 709049  1 pcs Loc EXP  SPH  T: 709049	
X 5.50" X 1444.  Taire: 7606.12.00.32  SPH  X 6" X 96"  X 6" X 96"  SPH  X 6" X 96"  X 6" X 96"  SPH  Tr. 709049  1 pcs Loc EXP  1.00  1.00	
Trans. 7606.12.00.32   1   C   1.00   1.00	X 3,5
1 UEA PCS: 1 ( 1.00  T. 709049  X 96.  1 UEA PCS: 1 ( 1.00  T. 709049  1 DCS LOC EXP  1 LOD  1 DCS LOC EXP	aire
T: 709049   1 pcs Loc EXP   X 6" X 96"   2 pcs   1   1 pcs Loc EXP   1 pcs Loc EXP   2 pcs   1   2 pcs Loc EXP   2 pcs   1 pcs Loc EXP   2 pcs   2 p	Ð
X 961 1 UEA PCS: 1 1.00 T: 709049 1 pcs Loc EXP	
1 UEA PCS: 1 1.00 T. 709049 1 pcs Loc EXP	#9 X
1 UEA PCS: 1 1.00 T: 709049 1 pcs Loc EXP	Tarre
T: 7090495	•
	par initiale: SPH

Customer/Driver Instructions / Commentaires du client/chauffeur: HEURES D'OUVERTURE 7H @ 16H LUN @ VEND DECHARGEMENT AU CHARIOT ELEVATEUR AVANT COTE CHAUFFEUR

Tariff Code / Code tarifaire: 7606.12.00.32

Order Qty/Qte commandee

Oty Comm: \_2 ( 0 -PK/WI 1 LINE 1 )

Qty Comm:

Processing of this material may present a physical and or health Alloys of Aluminum, Copper, Steel Caution: Packing List/Bordereau de marchandises Acceptance of goods constitutes acceptance of our Terms and Conditions, available on our website at www.Ryerson.com

Date:

L'acceptation des marchandises constitue un consentement a nos termes et conditions, qui sont disponibles sur notre site web <a href="https://www.ryerson.com">www.ryerson.com</a>, ou par votre representant interne, ou par telephone (800) 268-2680.

or from your sales representative, or by calling (800) 268-2680.

Received by/ Reçu Par: \_

hazard. See material safety data sheets for further information

UEA

2.00

N

Les alliages d'aluminum, de cuivre, d'acier Avertissement: le Traitement de ce matériel peut présenter un risque physique et ou pour la santé. Pour de plus ample information voir les fiches.

# Shipping Order / Bordereau d'expédition

200 RUE DU CHEMINOT 200 RUE DU CHEMINOT # QW

VAUDREUIL-DORION QC J7V 5V5 VAUDREUIL QC J7V 5V5

04/19/13 19:46 CST N de Page 2

S.O. / Bordereau d'expédition X6-306604

P.O. / Bon de commande

19623

1270, ABERDEEN STREET

Sold to/Facturer a: DART AEROSPACE LTD.

(450) 424-0153

Phone/Tel

1270, ABERDEEN STREET Ship to/Expedier a: DART AEROSPACE LID.

Oty Shipped/Oté expédiée B.O.Oty/En souffrance Phone/Tel (613)632-3336

Line /# de ligne

HAWKESBURY

ON K6A 1K7

Description

HAWKESBURY

ON K6A 1K7

709049

pcs Loc EXP

\*\*\* Filled by Initials/Rempli par Initiale: SPH Cntrl: X6FL8171 C:/458935

Customer/Driver Instructions / Commentaires du client/chauffeur: HEURES D'OUVERTURE 7H @ 16H LUN @ VEND DECHARGEMENT AU CHARIOT ELEVATEUR AVANT COTE CHAUFFEUR

Packing List/Bordereau de marchandises Acceptance of goods constitutes acceptance of our Terms and Conditions, available on our website at www.Ryerson.com, L'acceptation des marchandises constitue un consentement a nos termes et conditions, qui sont disponibles sur notre site web www.ryerson.com, ou par votre representant interne, ou par telephone (800) 268-2680 or from your sales representative, or by calling (800) 268-2680

Processing of this material may present a physical and or health hazard. See material safety data sheets for further information Les alliages d'aluminum, de cuivre, d'acier Avertissement: le Traitement de ce matériel peut présenter un risque physique et ou Alloys of Aluminum, Copper, Steel Caution: pour la santé. Pour de plus ample information voir les fiches. Ryerson PAGE

P.O. - 19623 S.O. - 306604 DART AEROSPACE LTD.

> Aleris Aluminum Koblenz GmbH Carl-Spacter Str.10 56070 Koblenz/Deutschland



erremente e esta distribui de come de la compania del compania del compania de la compania del la compania de la compania de la compania del la compania de la compania de la compania del l



INSPECTION CERTIFICATE (EN 10204/3.1) / TEST REPORT / APPROVED CERTIFICATE

NO.: 0372246

SERIAL-NO.:

PAGE:

PURCHASER:

RYERSON CANADA, INC.

3399 AV FRANCIS-HUGHES

CDN LAVAL, QC H7L 5A%

CONSIGNEE:

RYERSON CANADA INC.

3399 FRANCIS HUGHES

CDN LAVAL QC H7L 5A5

ORDER NO. PURCHASER:

709049-4

PART NO. PURCHASER:

5555-7603

ORDER NO. MANUFACTURER/ITEM: 66763 / 04

PRODUCT:

PLATE

SPECIFICATION:

AMS-Q0-A-250/12 APR 2007

ALLOY/TEMPER:

7075 T651

DIMENSION:

50,80 x 1536,70 x 3670,30 mm

PCS.

GROSS LBS

NET LBS

PACK-NO

LOT-NO

PACK-DAT.

7.474

7.174

MB/04/22

4/19/2013 7:52:29 PM PAGE 2/012 Fax Server

Aleris Aluminum Kobienz GmbH
Carl-Spaeter Str.10 56070 Koblenz/Deutschland



program produced assessmental that was reserved by the state of the state of the second second state of the second seco



INSPECTION CERTIFICATE (EN 10204/3.1) / TEST REPORT / APPROVED CERTIFICATE NO.: 0372246 LOT: 458936 PAGE: \_\_\_\_\_ Mechanical properties: Pl. No. Spec. No. Y.S. U.T.S. El. 2 N/mm N/mm Min. LT: 462 533 6,0 Max. LT: 1 A 499 570 12,7 1 E 496 569 12,5 2 A 499 571 12,7 498 56B 12,7 Chemical composition: in % , remainder Al Cast No.: 4-12-3870 Fe Cu Mn Mg 0,003 2,494 Sn Be Cr $z_n$ Ti 0,044 0,085 1,709 Pb Ni 5,828 0,196 0,0345 0,0014 Zr , V Na T.á K2 (\*) 0,0031 0,0028 0,006C 0,0030 0,0004 0,0000 0,0000 0,0087 0,03 Al Ti Ti+Zr Cu/Mg Fe/Si 0,038 2,0 (\*) = H2 in ml/100 g AL Other tests: on/13/04/22 Dimensional check: OK. Surface control: OK Ultrasonic test: OK US-spec.: AMS-STD-2154 TYPE 1 CL.A Normative references: LEGIERUNGSNORM/CHEMICAL COMPOSITION STANDARD/COMPOSITION CHIMIQUE AMS-00-A-250/12 FESTIGKEITSNORM/MECH. PROP.STANDARD/CARACTERISTIQUE MECANIQUE AMS-QQ-A-250/12 ULTRASCHALLNORM/ULTRASONIC STANDARD/ULTRASONS - NORME AMS-STD-2154 TYPE I CL.A

Ryerson

4/19/2013 7:52:29 PM PAGE 3/012 Fax Server

Alens Aluminum Koblenz GmbH Carl-Spaeter Str.10 56070 Koblenz/Deutschland





The second state of the second second

							1				annuculation and thurst of such					
INSPECTION	CERT	IFI 	CAT	e (en	102	04	/3.	.1)	/ T	EST	REPORT	. /	APPROVED	CERTI	FICA	TE
NO.: 03722	46				\$ 10 minutes   10	LO	T:	45	8936				PAG	E:	3 /	4
Remarks:						-==					, . r:					
Electrical	cond	uct	ivi	ty:	6 9 5											
Min.:	33	 		Max.:	Torner and transferrence	34	, 1		%IAC	S			Result	:	OK	
Heat treatu	ent:								-							

135 DEGREES C.-16H

orf 13/04/22

Ryerson

4/19/2013 7:52:29 PM PAGE

Aleris Aluminum Koblenz GmbH Carl-Spaeter Str.10 56070 Koblenzi Deutschland



of the Control of the



THE PERSON NAMED IN COLUMN TO STATE OF THE PERSON NAMED I	Contract of the contract of the second						
		1.					-
INSPECTION	CERTIFIC	ATR (EN	10204/3.	1) / TEST	REPORT /	APPROVED	CERTIFICATE

0372246

PAGE:

Remarks:

CERTIFIED THAT THE WHOLE OF THE SUPPLIES DETAILED HEREON HAVE BEEN MANUFACTURED, INSPECTED, TESTED AND UNLESS OTHERWISE STATED CONFORM IN ALL RESPECTS TO THE RELEVANT SPECIFICATIONS, DRAWINGS AND CONTRACT/ORDER. WE CONFIRM, THAT QUALITY MANAGEMENT SYSTEM OF ALERIS ALUMINUM KOBLENZ GMBH IS IN ACCORDANCE WITH DIN EN ISO 9001 AND EN 9100 IN THE RELEVANT VALID VERSION AND CERTIFIED BY AN ACCREDITED 3RD PARTY.

MADE IN THE FEDERAL REPUBLIC OF GERMANY

Enclosures:

Koblenz, the 15.03.12 IW

Quality

Aleris Aluminum Koblenz GmbH

Ryerson 4/19/2013 7:52:29 PM PAGE

DART AEROSPACE LTD. P.O. - 19623 S.O. - 306604

Aleris Aluminum Koblenz GmbH Cari-Spaeter Str.10 56070 Koblenz/Deutschland



and the consistence of the contraction of the consistence of the contraction of the contr



Fax Server

5/012

INSPECTION CERTIFICATE (EN 10204/3.1) / TEST REPORT / APPROVED CERTIFICATE

NO.: 0373686

SERIAL-NO.:

PAGE:

/ 4

PURCHASER:

RYERSON CANADA, INC.

3399 AV FRANCIS-HUGHES

CDN LAVAL, QC H7L 5A%

CONSIGNEE:

RYERSON CANADA INC.

3399 FRANCIS HUGHES

CON LAVAL QC H7L 5A5

ORDER NO. PURCHASER:

PART NO. PURCHASER:

709049-2) 5555-6554

ORDER NO. MANUFACTURER/ITEM:

66763 / 02

PRODUCT:

PLATE

SPECIFICATION:

AMS-QQ-A-250/12 APR 2007

ALLOY/TEMPER:

7075 7651

DIMENSION:

1.000 ×

60.50 x 144.50 INS

PCS.

GROSS LBS NET LBS

PACK-NO

LOT-NO

PACK-DAT.

ε

7.463

7.176

 $0135 \qquad 4589$ 

26.03.12

on-13/04/22

VT-TQ-QS 07/00

4/19/2013 7:52:29 PM PAGE 6/012 Fax Server

Aleris Aluminum Koblenz GmbH Carl-Spacter Str.10 56070 Koblenz/Deutschland





INSPECTION CERTIFICATE (EN 10204/3.1) / TEST REPORT / APPROVED CERTIFICATE NO.: 0373886 LOT: 458934 PAGE . RESULTS: Mechanical properties: \_\_\_\_\_\_ Pl. No. Spec. No. Y.S. U.T.S. KST KSI \_\_\_\_\_ Min. LT: 68.0 78,0 Max. LT: 75,9 85,4 12,8 Ξ 76,4 85,7 12,7 76,1 2 85,7 13,4 73 2 E 76.6 85,9 32,8 3 75,7 85,3 12,3 76.6 85,9 3 Ξ 12,7 76,0 85,4 12,7 75.5 85,3 12,5 Chemical composition: in % , remainder Al Cast No.: 4-12-3869 Si Fe Cu Mn Mg . C: Zn Ti 0,098 1,691 0,006 0,196 5,719 0,049 2,463 0,0397 0,0014  $z_x$ Pb Ni Sn Be V H2 (\*) Na Lj. 0,0000 0,0000 0,0091 0,08 0,0057 0,0030 0,0060 0,0030 0,0003 Ti-Zx Fe/Si Al Tl Cu/Mg 0,045 2.0 (\*) = H2 in ml/100 g ALOther tests: OK Dimensional check: Surface control: OK US-spec : AMS-STD-2154 TYPE 1 CL.A Ultrasonic test: OK Normative references: LEGIERUNGSNORM/CHEMICAL COMPOSITION STANDARD/COMPOSITION CHIMIQUE AMS-QQ-A-250/12 FESTIGKEITSNORM/MECH PROP.STANDARD/CARACTERISTIQUE MECANIQUE

AMS-00-A-250/12

ULTRASCHALLNORM/ULTRASONIC STANDARD/ULTRASONS - NORME AMS-STD-2154 TYPE 1 CL.A

Kyerson

4/19/2013 7:52:29 PM PAGE 7/012 Fax Serve

Aleris Aluminum Koblenz GmbH Cari-Spaeter Str.10 56070 Koblenz/Deutschland

135 DEGREES C.-16H





INSPECTION	CERT:	[FICAT	CE (EN	10204/	(3.1)	/ TEST	REPORT	/ APPROVED	CERTIFICATE
NO.: 0273	886			LOT	r: 458	934		PAG	E: 3 / 4
Electrical	condi	uctiv	ity:						
Min.:	32	7	Max.:	33	, 8 4	IACS		Result	: OK
Heat treat	= <b>===</b> : me≃t:			· · · · · · · · · · · · · · · · · · ·		<del></del>			

13/04/22

9615011 4/19/2013 /:52:29 PM PAGE 8/012

Aleris Aluminum Koblenz GrribH Carl-Spaeter Str.10 56070 Koblenz/Deutschland





A STATE OF THE WAY ASSESSED TO A STATE OF THE STATE OF TH

INSPECTION	CERTIFICATE	(EN	10204	/3.1)	1	TEST	report	/	APPROVED	CERTIFICATE
------------	-------------	-----	-------	-------	---	------	--------	---	----------	-------------

NO.: 0373886

PAGE:

4 / 4

Remarks:

CERTIFIED THAT THE WHOLE OF THE SUPPLIES DETAILED HEREON HAVE BEEN MANUFACTURED, INSPECTED, TESTED AND UNLESS OTHERWISE STATED CONFORM IN ALL RESPECTS TO THE RELEVANT SPECIFICATIONS, DRAWINGS AND CONTRACT/ORDER. WE CONFIRM, THAT QUALITY MANAGEMENT SYSTEM OF ALERIS ALUMINUM KOBLENZ GMBH IS IN ACCORDANCE WITH DIN EN ISO 9001 AND EN 9100 IN THE RELEVANT VALID VERSION AND CERTIFIED BY AN ACCREDITED 3RD PARTY.

MADE IN THE FEDERAL REPUBLIC OF GERMANY

Enclosures:

Koblenz, the 27.03.12 PS

DURGE,

Karl-Egon D'Altri Quality assurance

Aleris Aluminum Koblenz GmbH

VT-TO-05 07/08





INSPECTION CERTIFICATE (EN 10204/3.1) / TEST REPORT / APPROVED CERTIFICATE NO.: 0373887 SERIAL-NO.: PAGE: PURCHASER: RYERSON CANADA, INC. 3399 AV FRANCIS-HUGHES CDN LAVAL, QC H7L SA% CONSIGNEE: RYERSON CANADA INC. 3399 FRANCIS HUGHES CDN LAVAL QC H7L 5A5 ORDER NO. PURCHASER: 709049-3 PART NO. PURCHASER: 5555-6780 ORDER NO. MANUFACTURER/ITEM: 66763 / 03 PRODUCT: PLATE SPECIFICATION: AMS-QQ-A-250/12 APR 2007

> 1.500 x 60.50 x 344.50 INS

PCS GROSS LAS NET LBS PACK-NO LOT-NO PACK-DAT 8.358 8.071 458935 19.03.12

7¢75 T651

0/13/04/20

But the second wife and the control of the control

Manager and the state of the control o

ALLOY/TEMPER:

DIMENSION:

**KAGL2OU** 





INSPECTION CERT	IFICATE	(EN 10	204	/3.1)	/ TEST RI	EPORT / A	PPROVED	CERTIFICATE
NC.: 0373887			Lo	T: 45	8935	र्स्स केंद्र किया गर्म क्ष्मी सर्वे क्ष्मी केंद्र	FAGE	: 2 / 4
			.					========
RESULTS:								
Mechanical prop								
	erties:		.					
		1						
Pl. No. Spec. N	o. Y.S.	U.T.	s		El.			
			~ .		ET.			
	KSJ	KSI			÷s			
Min. LT:	67,0	77,	0		6,0	,		
Max. LT:								
1 A								
1 2	73,4 72,6	83,			12,7			
2 A	73,2	83, 83,			12.9			
2 E	72,7	83,	. 1		13,1 12,9			
hemical composi	======				 	=====		
Coupos	LCTOIL: I	n 8 , 2	ema	inde	Al		No.: 4-	
		1			. –	Cape	4-	±∠-3867
	Cu	Min		Mg	Car	Zn	Tr.f.	В
0,042 0,087 Zr Pb		0,001		2,427	0,198	5,724	0,0361	0,0013
0,0022 0,0028	Ni 0 0057	Sn O OOS		Be	Na _	Fig	⊽	H2 (*)
Al Ti	Ti+Zr			0,000	5 0,0000	0,0000	0,0084	C,08
<del></del>	0,040	Cu/Mg		Fe/Si 2,1				
*) = H2 in m1/1	00 g AT.	į		Z , I	i			•
*****					=====			
ther tests:		ļ	- 1					
		. h						
		f ir						<u>.</u>
Dimensional ch		OK						•
Surface contro		OK	1				•	
Ultrasonic tes	C:	ок			US-spec.	: AMS-ST	D-2154 T	YPE 1 CL.A
rmative refere	nces	i i						1 1
								24 13/AL
GIERUNGSNORM	HEMICAL.	COMPOST	أجنب	7N 677	ANTON BY ASSE			, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
								Ξ
STIGKETTSNORM/	MECH. PR	OP.STAN	IDAI	RD/CA	RACTERTEMT	OTTE MEGE	TOTT	
							4-Õ∩E	
TRASCEALLNORM/	ULTRASON	IC STAN	IA.CI	RD/UL:	TRASONS -	NORME		
S-STD-2154 TYP)	E 1 CL.A							
		6 6 1.						

Fax Server

10/012

DAGE

4/19/2013 7:52:29 PM

uyerson

Aleris Aluminum Koblenz GmbH Carl-Spaeter Str.10 56070 Koplenz/Deutschland





INSPECTION C	ert Ert	IFIC.		•					/ APPROV		RTIFICAT	E
NC.: 037388	37				Ţ.	OT : 4!	8935	ilia iliar iliar iliar ilian ili	े पूर्व कर कर कर कर कर कर कर कर कर 	PAGE:	3 /	-== -
Electrical o	cond	lucti	vity	7:						) 122 EV CO. B. W.		
Min.:	33	, 0	Ma	:	3,	4,1	*LACS		Rest	ilt:	OK	
Heat treatme	=== :nt :		:		:	7 m w 2 n. 1		<b></b>	- <del> </del>		(16 16 16 16 16 16 16 16 16 16 16 16 16 1	

04/3/04/22





<b>医型性性性性性性性性性性性性性性性性性性性性性性性性性性性性性性性性性性性性</b>	Europe
Control of the Contro	
TWODOGO	The state of the s
INSPECTION CERTIFICATE (EN 10204/3.1)	/ TEST REPORT / APPROVED CERTIFICATE
NO.: 0373887	
	PAGE: 4 / 4
*****	

CERTIFIED THAT THE WHOLE OF THE SUPPLIES DETAILED HEREON HAVE BEEN MANUFACTURED, INSPECTED, TESTED AND UNLESS OTHERWISE STATED CONFORM IN ALL RESPECTS TO THE RELEVANT SPECIFICATIONS, DRAWINGS AND CONTRACT/ORDER. WE CONFIRM, THAT QUALITY MANAGEMENT SYSTEM OF ALERIS ALUMINUM KOBLENZ GMBH IS IN ACCORDANCE WITH DIN EN ISC 9001 AND EN 9100 IN THE RELEVANT VALID VERSION AND CERTIFIED BY AN ACCREDITED 3RD PARTY.

MADE IN THE FEDERAL REPUBLIC OF GERMANY

Enclosures:

Koblenz, the 27.03.12 PS

Quality assurance

Aleris Aluminum Koblenz GmbH

and a constitue of the second of the constituence of the constitue

1 9 AVR. 2013

Certificat de Conformité

Vendu Par: RYERSON CANADA, INC.

200 RUE DU CHEMINOT

VAUDREUIL-DORION QC J7V 5V5 GST/TPS REG. # 895962561RT0001Y

QST/TVQ REG. # 1019096102 TQ0001

Tél: 450-424-0153 Fax: 450-424-0853

Vendu à: (1946 )
DART AEROSPACE LTD.

1270, ABERDEEN STREET HAWKESBURY

Tél: (613)632-3336 Fax: (613)632-4443 ON K6A 1K7

#BdeC : 19623

Rel :

#BdeV : 306604 1

#Conn:

#Fact :

Livré à: (1) DART AEROSPACE LTD. 1270, ABERDEEN STREET

HAWKESBURY

K6A 1K7

ON

Certificat de Conformité

No Cert.: 306604

Code: 55567605

PLA AL 7075-T651

2.000 X 3.50" X 144"

Mcx 1

ALERIS ALUMINUM

Numéro de lot

458936

Test ID 709049

Numéro de Contrôle X6FL8162

1

CECI N'EST QU'UN CERTIFICAT DE CONFORMITÉ

À qui de droit,

La présente est pour certifier que le matériel fourni ci-haut est conforme aux spécifications indiquées sur votre commande ci-haut mentionnée.

SIGNATURE AUTORISÉE

Certificat de Conformité

Vendu Par:

RYERSON CANADA, INC.

200 RUE DU CHEMINOT

VAUDREUIL-DORION QC J7V 5V5 GST/TPS REG. # 895962561RT0001Y QST/TVQ REG. # 1019096102 TQ0001

Tél: 450-424-0153 Fax: 450-424-0853

Vendu à: (1946) DART AEROSPACE LTD.

1270, ABERDEEN STREET

HAWKESBURY

Tél: (613)632-3336 Fax: (613)632-4443 ON K6A 1K7

1 9 AVR. 2013

#BdeC: 19623

#BdeV: 306604 2

#Conn :

#Fact:

Livré à: (1) DART AEROSPACE LTD. 1270, ABERDEEN STREET

HAWKESBURY

K6A 1K7

ON

Certificat de Conformité

No Cert.: 306604

Code: 55556558

PLA AL 7075-T651

1.000 X 6" X 96"

Mcx

ALERIS ALUMINUM

Numéro de lot

458934

Test ID 709049

Numéro de Contrôle X6FL8166

CECI N'EST QU'UN CERTIFICAT DE CONFORMITÉ

À qui de droit,

La présente est pour certifier que le matériel fourni ci-haut est conforme aux specifications indiquées sur votre commande ci-laut mentionnée.

SIGNATURE AUTORISÉE

Oleve

Vendu Par:

RYERSON CANADA, INC.

200 RUE DU CHEMINOT

VAUDREUIL-DORION QC J7V 5V5 GST/TPS REG. # 895962561RT0001Y

QST/TVQ REG. # 1019096102 TQ0001

Tél: 450-424-0153 Fax: 450-424-0853

Vendu à: (1946) DART AEROSPACE LTD.

1270, ABERDEEN STREET

HAWKESBURY

Tél: (613)632-3336 Fax: (613)632-4443

ON K6A 1K7

#BdeC: 19623

Rel

#BdeV : 306604 3

#Conn:

#Fact:

Livré à: (1) DART AEROSPACE LTD.

1270, ABERDEEN STREET

HAWKESBURY

ON

K6A 1K7

Certificat de Conformité

No Cert.: 306604

1 9 AVR. 2013

Code: 55566995

PLA AL 7075-T651

1.500 X 1 1/2 X 120

Mcx

ALERIS ALUMINUM

Numéro de lot

458935

Test ID 709049

Numéro de Contrôle X6FL8171

CECI N'EST QU'UN CERTIFICAT DE CONFORMITÉ

À qui de droit,

La présente est pour certifier que le matériel fourni ci-haut est conforme aux spécifications indiquées sur votre commande ci hant mentionnée.

SIGNATURE AUTORISÉE



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

### PURCHASE ORDER

### Purchase Order ID PO19623

Purchase Order Date 4/18/13 PO Print Date 4/18/13

Page Number 1 of 2

Order From: VC-RYS001 RYERSON INC. 200 DU CHEMINOT VAUDREUIL, QUEBEC J7V 5V5 **Contact Name** Buyer Chantal Lavoie Vendor Phone 450-424-0153 Requisition Nbr Vendor Fax 450-424-0853 Tax Resale Nbr 10127-2607 Vendor Account Nbr Terms Net 30 Currency CAD **FOB** Destination-Collect

Ship To:

Change Nbr:

DART AEROSPACE LTD

1270 ABERDEEN HAWKESBURY, ON K6A 1K7

CANADA.

FORM

Line N	br Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable Ur	Req Qty/ Ship Method ait of Measure	Unit Price	Extended Price
I	M7075T6B3.500X02.000	7075-T6 BAR 3.500' , 2.000"	4/22/13 Yes	12.00 Yours ppd	\$37.5000	\$450.00
		Special Inst.	AS PER AMS-QQ- 4122/4123/4186/41	/T62 ALUMINUM BAR A-225/9 OR AMS 87 OR 00/11 OR QO-A-250/12		
2	M7075T6B6.000X1.000	7075-T6 BAR 6.00 // X 1.000"	4/22/13 Yes	f	\$33.1250	\$265.00
		Special Inst:	MATERIAL: 7075- T651/T6510/T6511, AS PER AMS-QQ-	T62 ALUMINUM BAR		

4122/4123/4186/4187 OR

PER AMS-QQ-A-200/11 OR QQ-A-250/12

CUT FROM PLATE

1013/4/12

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required YES NO



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

### **PURCHASE ORDER**

### Purchase Order ID PO19623

Purchase Order Date 4/18/13 PO Print Date 4/18/13

Page Number 2 of 2

Order From:

RYERSON INC.

200 DU CHEMINOT VAUDREUIL, QUEBEC J7V 5V5

Contact Name

Vendor Phone

450-424-0153

Vendor Fax

450-424-0853

Vendor Account Nbr

Buyer

Requisition Nbr Tax Resale Nbr

Terms Currency

FOB

f

Chantal Lavoie

10127-2607 Net 30

CAD

Destination-Collect

\$290.00

M7075T6B1.500X1.500

7075 T6 BAR 1.500 x

1.500

4/22/13

VC-RYS001

Yes

20.00

Yours ppd

\$14.5000

Special Inst:

MATERIAL: 7075-T6 OR

T651/T6510/T6511/T62 ALUMINUM BAR AS PER AMS-QQ-A-225/9 OR AMS

4122/4123/4186/4187 OR

PER AMS-QQ-A-200/11 OR QQ-A-250/12

**CUT FROM PLATE** 

PO Total:

\$1,005.00

MATERIAL CERTIFICATION REQ'D UPON DELIVERY

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required /YES NO

Change Nbr:

1

1 nge Date: 4/18/13